

GRABO®

2026

CONTENTS

05

LIFTING CHART

28

GRABO REMOTES

50

GRABO ACCESSORIES

06

COMPARISON CHART

32

GRABO PRO-LIFTER 20

72

THIRD PARTY PRODUCTS

08

WHAT DOES GRABO GRAB

38

GRABO V2

86

WARRANTY

12

GRABO PRO BRUSHLESS

42

OTTOVAC DIGITAL

18

GRABO HIGH FLOW

46

OTTOVAC

22

GRABO HIGH FLOW
ACCESSORIES

48



GRABO LITE





GRABO

LIFTING FORCE CHART



MATERIAL	PERPENDICULAR HOLDING FORCE	PARALLEL HOLDING FORCE
GLASS	375 LBS / 170 KG (USA) 265 LBS / 120 KG (EU)	146 LBS / 66 KG (USA) 104 LBS / 47 KG (EU)
METAL	375 LBS / 170 KG (USA) 265 LBS / 120 KG (EU)	192 LBS / 87 KG (USA) 137 LBS / 62 KG (EU)
PLASTIC	352 LBS / 160 KG (USA) 251 LBS / 114 KG (EU)	185 LBS / 84 KG (USA) 132 LBS / 60 KG (EU)
WOOD	375 LBS / 170 KG (USA) 265 LBS / 120 KG (EU)	223 LBS / 101 KG (USA) 159 LBS / 72 KG (EU)
CERAMIC TILE	346 LBS / 157 KG (USA) 247 LBS / 112 KG (EU)	179 LBS / 81 KG (USA) 128 LBS / 58 KG (EU)
ROUGH CONCRETE	346 LBS / 157 KG (USA) 247 LBS / 112 KG (EU)	244 LBS / 111 KG (USA) 147 LBS / 79 KG (EU)
DRYWALL	214 LBS / 97 KG (USA) 152 LBS / 69 KG (EU)	219 LBS / 98 KG (USA) 154 LBS / 70 KG (EU)
ROUGH SLATE	375 LBS / 170 KG (USA) 265 LBS / 120 KG (EU)	185 LBS / 84 KG (USA) 203 LBS / 92 KG (EU)

THE PROFESSIONAL'S LIFTING SOLUTION

GRABO

COMPARISON CHART

GRABO V2	GRABO PRO	OTTOVAC DIGITAL	GRABO HIGH FLOW	GRABO PRO BRUSHLESS
				
LIFTS UP TO 375 LBS (170 KG)	LIFTS UP TO 375 LBS (170 KG)	LIFTS UP TO 330 LBS (150 KG)	LIFTS UP TO 242 LBS (110 KG)	LIFTS UP TO 375 LBS (170 KG)
 14.8 V	 14.8 V	 7.4 V	 18 V 5.2 Ah	 18 V 2.6 Ah
 16 W RATED POWER	 16 W RATED POWER	 3 W RATED POWER	 166 W RATED POWER	 26 W RATED POWER
 20 L/MIN RATED AIR FLOW	 20 L/MIN RATED AIR FLOW	 4 L/MIN RATED AIR FLOW	 1500 L/MIN RATED AIR FLOW	 30 L/MIN RATED AIR FLOW
 100-240 VAC 50/60 Hz	 100-240 VAC 50/60 Hz	 5V/2A	 100-240 VAC 50/60 Hz	 100-240 VAC 50/60 Hz
 ~2 HRS CHARGE TIME	 ~2 HRS CHARGE TIME	 ~2 HRS CHARGE TIME	 ~1.5 HRS CHARGE TIME	 ~2 HRS CHARGE TIME
 90 MIN BATTERY LIFE	 90 MIN BATTERY LIFE	 180 MIN BATTERY LIFE	 25 MIN BATTERY LIFE	 90 MIN BATTERY LIFE
 900 RUNNING CYCLES	 900 RUNNING CYCLES	 1500 RUNNING CYCLES	 160 RUNNING CYCLES	 900 RUNNING CYCLES
 30 DAYS STANDBY MODE	 30 DAYS STANDBY MODE	—	—	 30 DAYS STANDBY MODE
—	AUTO-OFF	AUTO-OFF	—	AUTO-OFF
100,000+ ON-OFF cycles	100,000+ ON-OFF cycles	10,000+ ON-OFF cycles	—	100,000+ ON-OFF cycles

GRABO V2	GRABO PRO	OTTOVAC DIGITAL	GRABO HIGH FLOW	GRABO PRO BRUSHLESS
				
 800+ HRS CONTINUOUS ACTION	 800+ HRS CONTINUOUS ACTION	 200+ HRS CONTINUOUS ACTION	—	—
MAX. VACUUM 0.8 BAR (80 kPa)	MAX. VACUUM 0.8 BAR (80 kPa)	MAX. VACUUM 0.6 BAR (60 kPa)	MAX. VACUUM 0.2 BAR (20 kPa)	MAX. VACUUM 0.8 BAR (80 kPa)
11.67" LENGTH	11.77" LENGTH	8.2" LENGTH	10.94" LENGTH	12.2" LENGTH
7.12" WIDTH	7.22" WIDTH	8.2" WIDTH	6.38" WIDTH	7.5" WIDTH
4.76" HEIGHT	4.76" HEIGHT	3.35" HEIGHT	4.72" HEIGHT	5.9" HEIGHT
 3.3 LBS / 1.6 KG NET WEIGHT	 3.2 LBS / 1.5 KG NET WEIGHT	 2.6 LBS / 1.2 KG NET WEIGHT	 5.5 LBS / 2.5 KG NET WEIGHT	 4.4 LBS / 2 KG NET WEIGHT
 WORKING TEMPERATURE 32~140°F (0~60°C)	 WORKING TEMPERATURE 32~140°F (0~60°C)	 WORKING TEMPERATURE 32~140°F (0~60°C)	 WORKING TEMPERATURE 32~140°F (0~60°C)	 WORKING TEMPERATURE 32~140°F (0~60°C)
 1 FOAM SEAL	 1 FOAM SEAL	—	 2 300 MM FOAM SEALS	 1 FOAM SEAL
 MECHANICAL GAUGE	 DIGITAL GAUGE	 DIGITAL GAUGE	 DIGITAL GAUGE	 BIG DIGITAL DISPLAY
—	—	—	—	ADJUSTABLE VACUUM VALVE
 1 BATTERY	 1 BATTERY	 1 BATTERY	 2 BATTERIES	 1 BATTERY
 MULTI-SOCKET CHARGER	 MULTI-SOCKET CHARGER	 USB-C (NOT INCLUDED)	 21 V CHARGER	 21 V CHARGER WITH 2 USB-C PORT & INTEGRATED LED LIGHT
 REMOTE CONTROL NOT INCLUDED	 REMOTE CONTROL NOT INCLUDED	—	 850MM WIRED REMOTE REMOTE CONTROL NOT INCLUDED	 REMOTE CONTROL

WHAT DOES GRABO GRAB?



**OTTOVAC AND
OTTOVAC DIGITAL**



GLASS



TILE



MARBLE



FINISHED WOOD



SMOOTH METAL



ACRYLIC



**GRABO V2, GRABO PRO,
AND GRABO PRO BRUSHLESS**



GLASS



GRANITE PILLAR CAP



QUARRY TILES



TILE



BRICK PAVERS CLAY



BLUE AGATE SLAB



MARBLE



TAVERTINE PAVERS



WOOD



FLAGSTONE PAVERS



METAL



ARMOURSTONE



CONCRETE



KODAH



DRYWALL



COBBLESTONE



PORCELAIN



BRISTOL VALLEY



GRANITE



MOSAIC TILE



**GRABO
HIGH FLOW**



BELLGARD PAVERS



NICOLock PAVERS



OLDCASTLE PAVERS



PERMACON PAVERS



TECHO BLOC PAVERS



UNILOCK PAVERS





GRABO PRO BRUSHLESS



MORE POWER. MORE CONTROL.

The GRABO PRO BRUSHLESS runs on GRABO’s new 20V battery platform (18V in the EU) and comes standard with a 2.6Ah battery, while supporting all GRABO 20V batteries. It features a faster, more powerful brushless motor that pulls 30 liters of air per minute and more energy efficient. A new large LED display lets you manually set your preferred vacuum limit, perfect for handling fragile materials like thin glass without over-suction. The included and built-in wireless remote lets you control the tool from up to 98 ft (30 meters) away. With a maximum lifting capacity of 375 lbs (170 kg).



Model/SKU	GRABO PRO BRUSHLESS / GPB-FB-1S
Battery	20 V Li-ion in the USA / 18 V Li-ion in EU
Rated Power	26 W
Battery Capacity	2.6 Ah
Charger Output Voltage	20 V / 21 V
Length x Width x Height	12.2 x 7.5 x 5.9” (310 x 191 x 149 mm)
Rated Air Flow	30 L/min
Running Cycles (on full charge)	900 ON-OFF cycles of 10 seconds
Net Weight (with Battery)	4.4 lbs. / 2 kg



- KIT INCLUDES:**
- GRABO® PRO BRUSHLESS tool
 - Integrated Wireless Remote
 - 18V/20V 2.6Ah Li-ion Battery
 - 18V/20V 2.6Ah Li-ion Battery Charger
 - Extra Filter
 - Hard Plastic Foam Protector
 - Operator’s manual
 - PRO BRUSHLESS Canvas Carrying Bag




GRABO PRO BRUSHLESS WIRELESS REMOTE CONTROL

Take full control of your GRABO PRO BRUSHLESS with the integrated wireless remote.

*Remote control is included with every GRABO PRO BRUSHLESS

GRABO PRO BRUSHLESS HARD PLASTIC FOAM PROTECTOR



The Hard Plastic Foam Protector is an accessory that is included with the GRABO PRO BRUSHLESS. Prevent damage to your tool or mount it directly to your workshop wall. This keeps your tool organized, easy accessible, and safe, whether stored away or being used on the jobsite.



GRABO 18V/20V 2.6Ah BATTERY

The GRABO 20V 2.6Ah Battery (18V in EU) powers both the GRABO HIGH FLOW and GRABO PRO BRUSHLESS tools with long-lasting, reliable performance. Available in 2.6Ah and 5.2Ah options, these batteries are lightweight, rechargeable, and sold separately as add-ons or replacements for your GRABO tool setup. (Compatible with the GRABO HIGH FLOW)



GRABO 18V/20V 2.6Ah BATTERY CHARGER

The GRABO 20V 2.6Ah Battery Charger works with all GRABO 20V (18V in EU) batteries used in the HIGH FLOW and PRO BRUSHLESS tools. It charges both 2.6Ah and 5.2Ah batteries using a 100–240V input and 21V 4A output. Compact, easy to use, and built for quick turnaround so you're never stuck waiting on power. (Compatible with the GRABO HIGH FLOW)





GRABO HIGH FLOW



WHERE THE GRABO LEAVES OFF, THE HIGH FLOW PICKS UP

Our most powerful tool yet. With an incredible vacuum flow rate of 1,500 liters per minute, it's the first cordless handheld vacuum that can securely grip extremely porous materials such as dry cast pavers. Designed with an innovative pistol grip, it lets you lift, grip, move, or install heavy and porous materials on-site with unmatched precision and reliability.



KIT INCLUDES:

- GRABO® HIGH-FLOW tool
- Suction plate 300mm (12"x12") with SMART CUT foam seal 300mm (12"x12")
- Spare foam seal 300mm (12"x12")
- Two (2) GRABO HIGH FLOW Batteries
- Battery Charger
- T-Bar handle attachment with 850mm (33") Wired Cable
- Extra Filter
- Operator's manual
- HIGH FLOW Canvas Carrying Case



Model/SKU	GRABO HIGH FLOW / HF
Battery	20 V Li-ion in the USA / 18 V Li-ion in EU
Rated Power	160 W
Charger Input Voltage	100-240 VAC 50/60 H
Battery Capacity	5.2 Ahw
Charger Output Voltage	21 V
Length x Width x Height	11.8 x 7.2 x 5.8" (300 x 184 x 148 mm)
300mm Seal Dimensions	316 x 316 x 199 mm
400mm Seal Dimensions	416 x 416 x 199 mm
Rated Air Flow	1,500 L/min
Maximum Vacuum Rate	-0.20 bar / -20 kPa
Net Weight (with Battery)	5.5 lbs. / 2.5 kg
Working Temperature	32~140°F (0~60°C)



20 V

LITHIUM ION

GRABO®

5.0 AH

GRABO HIGH FLOW SUCTION PLATES




SUCTION PLATE 300

The GRABO HIGH FLOW Suction Plate 300, measuring 300mm (12"x12"), is designed for lifting loads up to 150 lbs / 68 kg in the USA - 111 lbs / 50.3 kg in EU. It easily attaches to your GRABO HIGH FLOW using four lock pins. This plate is suited for professionals handling small yet heavy and porous materials.



SUCTION PLATE 400

Take your GRABO HIGH FLOW to the next level and hold more weight with the GRABO Suction Plate 400. Engineered to grip a larger surface area, this robust 400mm (16"x16") plate quickly attaches via four secure quick-lock pins. With enhanced stability and a significantly increased holding capacity of up to 242 lbs / 110 kg in the USA - 180 lbs / 82 kg in EU. Ideal for professionals handling large, heavy, and extremely porous pavers.



GRABO HIGH FLOW BATTERY & CHARGER



GRABO 18V/20V 5.2Ah BATTERY

Power your GRABO HIGH FLOW and GRABO PRO BRUSHLESS with the GRABO 20V 5.2Ah Battery (18V in EU). Available in 2.6Ah and 5.2Ah, these batteries deliver consistent, long-lasting power to keep you working efficiently without interruption. Lightweight yet durable, it's quick to swap out on the jobsite, minimizing downtime. Pair it with the GRABO 20V 5.2Ah Battery Charger (18V in EU) for rapid charging. (Compatible with GRABO PRO BRUSHLESS)



GRABO 18V/20V 5.2Ah BATTERY CHARGER

The GRABO 20V 5.2Ah Battery Charger (18V in EU) charges both 2.6Ah and 5.2Ah batteries with an input voltage of 100-240VAC (50/60Hz, 2A) and delivers an efficient 21V, 4A output for rapid charging. Compact, durable, and easy to use, it's an essential accessory to ensure minimal downtime on any jobsite. (Compatible with GRABO PRO BRUSHLESS)



GRABO HIGH FLOW SEALS



FOAM SEAL 300MM

Get more grip from your GRABO HIGH FLOW with the GRABO Foam Seal 300. Sized at 300mm (12"x12"), it attaches quickly to the GRABO HIGH FLOW Suction Plate 300 using the four spring lock pins, giving you surface coverage and holding power compared to the standard oval foam seal. Perfectly suited for lifting flat, heavy, and extremely porous pavers, it handles loads up to 150 lbs / 68 kg in the USA - 111 lbs / 50.3 kg in EU.



SMART CUT FOAM SEAL 300MM

SMART CUT 300mm (12"x12") foam seal accessory for the GRABO HIGH FLOW Suction Plate 300. Ideal for gripping extremely porous and extremely textured pavers, providing reliable suction and secure lifting performance and offers a reliable holding capacity of up to 150 lbs / 68 kg in the USA - 111 lbs / 50.3 kg in EU.




FOAM SEAL 400MM

Standard 400mm (16"x16") foam seal for your GRABO HIGH FLOW Suction Plate 400. Designed to securely grip large, heavy, flat, and extremely porous pavers. Maximize your lifting power and grip reliability, confidently handling weights up to 242 lbs / 110 kg in the USA - 180 lbs / 82 kg in EU.



SMART CUT FOAM SEAL 400MM

The GRABO 400 Smart Cut Foam Seal is the ultimate accessory for your GRABO HIGH FLOW, engineered to tackle the toughest surfaces. Perfectly grips extremely porous, and extremely textured pavers, ensuring reliable, leak-free lifting on tough surfaces with deep grooves. Holds weights up to 242 lbs / 110 kg in the USA - 180 lbs / 82 kg in EU.





GRABO HIGH FLOW STANDARD FOAM SEAL

The GRABO HIGH FLOW Standard Oval Open Cell Foam Seal fits the original oval base of your GRABO HIGH FLOW tool for optimal gripping on smaller porous surfaces. Open-cell foam allows airflow, enabling the tool's high airflow rate and effective gripping without a complete vacuum, ideal for delicate, porous materials. Safely holds up to 75 lbs (34 kg). Perfect for lifting smaller pavers, bricks, and textured surfaces.



GRABO HIGH FLOW FOAM SEAL 80

The 80x160mm (3"x6") Open Cell Foam Seal for the GRABO HIGH FLOW achieves grip on small sizes and shapes of bricks, pavers and stones. Use this seal on small materials where all other seals are too large to grip. This specialty seal features our new open cell foam, which allows our high flow to pull a maximum amount of air without creating a vacuum.



GRABO HIGH FLOW T-BAR

The user-friendly T-handle, significantly simplifies and improves the ergonomics of laying outdoor pavers. The T-Bar handle attachment includes a wired remote control that powers the GRABO HIGH FLOW ON/OFF so you don't need to bend over on the job site. (GRABO tools are not included in this set)



GRABO REMOTES



GRABO HIGH FLOW 850MM WIRED REMOTE

Control your GRABO HIGH FLOW without holding the tool. Connect the 850mm (33") wired remote cable to the control port on the GRABO HIGH FLOW to allow you to turn the tool ON and OFF without holding the tool. Securely strap the remote cable onto the included T-Bar Handle or any official third-party accessory with this durable rubber strap for user convenience. Note: 850mm (33") cable does not reach handle grips.



GRABO HIGH FLOW 1500MM WIRED REMOTE

Control your GRABO HIGH FLOW or PROBST DUO without holding the tool. Connect this extended 1500mm (59") wired remote cable to the control port on the GRABO HIGH FLOW to allow you to turn the tool ON and OFF without holding the tool. This extension cable is designed for use with two-person handling attachments such as the ERGUO T, as well as the PROBST DUO, T-Lift by Topspin, Twino by Raizi, and other official third-party attachments.





GRABO HIGH FLOW WIRELESS REMOTE

Connect the wireless receiver to the control port on the GRABO HIGH FLOW to allow you to use the tool without actually holding the tool. Use the wireless keyfob to control the HIGH FLOW's ON/OFF functions from up to 98ft (30 meters) away. Now users can use the HIGH FLOW to grip and move porous pavers while attached to a crane, excavator, or any lift system.



GRABO WIRELESS REMOTE

Wirelessly control your GRABO PRO LIFTER 20 or NEMO GRABO with the GRABO REMOTE accessory. The GRABO REMOTE is a small accessory that attaches to your GRABO tool that allows users to control the vacuum pump ON/OFF function as well as release pressure through a RF signal via a small fob style remote. Users can operate multiple tools simultaneously with the remote control accessory from up to 98ft (30 meters) in distance at 433.92 MNz.



HEAVY LIFTING MADE EASY



GRABO® PRO-LIFTER 20

The GRABO Pro enhances functionality upgrades from the Nemo GRABO tool with a higher vacuum pump capacity of 20 liters per minute. The lifter also has a digital pressure gauge with automatic sensors to ensure a constant and tight vacuum seal.



KIT INCLUDES:

- GRABO Pro portable electric vacuum lifter with digital pressure gauge
- Auto pressure sensors turns pump on and off to ensure constant vacuum.
- 1 Battery and a battery charger
- Foam Rubber Seal preinstalled on the tool
- Canvas carrying bag
- Replacement filters
- User manual

Model/SKU	Grabo Pro-Lifter 20 / GP-1 Li-FB
Battery	14.8 VDC 2600 mAh Li-ion
Rated Power	16 W
Charger Input Voltage	100-240 VAC 50/60 Hz
Battery Charging Time	~2 hours
Non-Stop Running Time (Full Charge)	1.5 hours
Running Cycles (On Full Charge)	900 ON-OFF cycles of 10 seconds
Stand-by Mode	30 days
Pump Service Life	100,000+ ON-OFF cycles / 800+ hrs continuous
Rated Air Flow	0.7 cfm (20 L/min)
Maximum Vacuum Rate	11.6 psi (0.8 bar, 80 kPa)
Net Weight (with Battery)	3.2 lbs. (1.5 kg)
Working Temperature	32~140°F (0~60°C)
Applicable Surface Type	Peak/valley heights less than 0.1" (3 mm), arc less than 5°
Additional Features	Pump stops automatically at maximum vacuum rate (11.6 psi / 0.8 bar)



GRABO PRO IN HARDSHELL CASE

The GRABO Pro tool is also available in a hardshell case as an upgrade option to the standard canvas bag case. This hard case will protect your GRABO tool from being crushed, dust, debris, and all the elements on a job site. Stay protected and stay organized with the GRABO Pro in Hardshell Case!



KIT INCLUDES:

- GRABO Pro portable electric vacuum lifter with digital pressure gauge
- Auto pressure sensors turns pump on and off to ensure constant vacuum.
- 1 Battery and a battery charger
- Foam Rubber Seal preinstalled on the tool
- Replacement filters
- User manual
- Hardshell Case



GRABO'S GOT YOU COVERED, EVEN IN TOUGH CONDITIONS

HEAVY DUTY. LIGHT WORK.



GRABO

V2

The GRABO V2 retains the power and compatibility of the original while introducing a PRO-style ergonomic handle, enhanced controls, LED battery indicators, and fully sealed buttons for improved durability in demanding environments. It's the classic GRABO, upgraded for real-world work.



KIT INCLUDES:

- GRABO V2 portable electric vacuum lifter with a mechanical pressure gauge
- 1 Battery and a battery charger
- Foam Rubber Seal preinstalled on the tool
- Replacement filters
- User manual
- Canvas Carrying Bag



Model/SKU	GRABO V2 / GV2-1B-FB-1S
Battery	14.8 VDC 2600 mAh Li-ion
Rated Power	16 W
Charger Input Voltage	100-240 VAC 50/60 Hz
Battery Charging Time	~2 hours
Non-Stop Running Time (Full Charge)	1.5 hours
Running Cycles (On Full Charge)	900 ON-OFF cycles of 10 seconds
Stand-by Mode	30 days
Pump Service Life	100,000+ ON-OFF cycles / 800+ hrs continuous
Rated Air Flow	0.7 cfm (20 L/min)
Maximum Vacuum Rate	11.6 psi (0.8 bar, 80 kPa)
Maximum Lifting Capacity	375 lbs (170 kg)
Net Weight (with Battery)	3.3 lbs. (1.5 kg)
L x W x H	12.1 x 7.37 x 4.91" (297 x 181 x 121 mm)
Working Temperature	32~140° F (0~60° C)
Applicable Surface Type	Peak/valley heights less than 0.1" (3 mm), arc less than 5°

EFFORTLESS STRENGTH EVERY TIME



OTTOVAC DIGITAL

MODERN PERFORMANCE IN A FAMILIAR FORM



The OTTOVAC DIGITAL takes the familiar design of a traditional suction cup and brings it into the modern age. This smart, motorized lifting tool automatically maintains suction with a built-in electric pump, giving you dependable grip and effortless control on every lift.

Despite its familiar form, the OTTOVAC DIGITAL packs serious power, holding up to 330 lbs (150 kg) with ease. A clear digital display shows real-time pressure readings in both psi and bar, along with estimated weight capacity in pounds or kilograms—so you always know exactly what you’re working with.

Built-in metal anchor points support both official and third-party attachments, providing flexibility for a wide range of applications. Combining intelligence, strength, and the proven comfort of traditional design, the OTTOVAC DIGITAL redefines what a suction cup can do.



KIT INCLUDES:

- OTTOVAC Digital tool with LED display
- Li-ion battery
- User manual
- Plastic Carrying Case

Model/SKU	OTTOVAC Digital / OVD-V1
Battery	7.4V 2000mAh Li-ion
Working voltage	7.4 V
Rated power	3 W
Rated air flow	4 L/min
Maximum vacuum rate	-0.6 bar (-60 kPa)
Maximum lifting capacity	330 lbs. (150 kg)
Dimensions	208x208x85 mm
Net weight (with battery)	2.6 lbs. (1.2 kg)
Working temperature	32~140°F (0~60°C)





OTTOVAC

REVOLUTIONIZING
THE CLASSIC
SUCTION CUP
WITH CUTTING-
EDGE ELECTRIC
TECHNOLOGY
NO MANUAL
PUMPING
REQUIRED



DITCH THE PUMP, ONE PRESS FOR FULL SUCTION!

With just one press of the button, it securely grips flat materials—no manual pumping required. Its intelligent automatic sensor adjusts suction to ensure optimal hold without over-suction. Capable of lifting up to 330 lbs (150 kg), the OTTOVAC is powered by either 4 AA batteries or a USB-C rechargeable Lithium-ion cartridge, offering convenience for safer, easier glass or material handling.



KIT INCLUDES:

- Fully electric, works on 4-AA batteries (not included); no manual pumping required
- Reliability and Safety: Built-in pressure sensor with automatic start/stop function
- Works on textured services
- Red/Green LED indicator light for battery life

Model/SKU	OTTOVAC-V1 / OV-V1
Batteries	Alkaline AA 1.5 V (x4) or Li-Ion Cartridge
Working voltage	6 V
Rated power	6 W
Working cycle	1,500 ON-OFF cycles of 10 seconds
Service life	> 10,000 times, > 800h
Rated air flow	4 L/min
Maximum vacuum rate	-0.7 bar (-70 kPa)
Maximum lifting capacity	330 lbs. (150 kg)
Dimensions	8 x 8 x 3.5" (200 x 200 x 90 mm)
Net weight (with battery)	2.6 lbs. (1.2 kg)
Working temperature	32~140°F (0~60°C)

GRABO LITE

Meet the GRABO LITE, the new entry-level model in the GRABO lineup. It's built for users who want serious lifting power without the extra weight. At just 2.2 lbs (1.02 kg), the LITE is easy to carry, simple to use, and ideal for professionals or DIYers handling tile, wood, drywall, textured glass, or stone.

A built-in digital pressure gauge and automatic vacuum control eliminate the guesswork, maintaining suction when needed and conserving power when it's not. With two operating modes (continuous and auto), a long-lasting lithium battery, and USB-C charging, the GRABO LITE delivers everything you need in one compact, reliable package.



KIT INCLUDES:

- GRABO LITE tool
- 1 Battery and a battery charger
- Foam Rubber Seal preinstalled on the tool
- Protection cover
- Replacement filters
- User manual



Model/SKU	GRABO LITE / GL-EN-V1
Battery	2600 mAh / 7.4V Li-ion
Battery Charging Time	~2 hours
Working Time	2.5 hours per charge
Charging	USB-C
Rated Air Flow	6 L/min
Maximum Vacuum Rate	-0.8 bar
Maximum Lifting Capacity	220 lbs (100 kg)
Net Weight (with Battery)	2.2 lbs. (1.02 kg)
L x W x H	278.9 x 163.3 x 116.7 mm

ROCK SEAL

The GRABO RockSeal™ is the ultimate solution for gripping and holding extremely textured and uneven surfaces up to 0.4" (10mm) deep. This deep foam seal enhances your tools versatility, making it perfect for construction, landscaping, or DIY projects. With its exceptional grip and strength, you can tackle any rough surface confidently and efficiently.





FOAM SEAL

GRABO seals wear out over time or with heavy use. Replace them in seconds by hand. This patented closed cell foam-rubber seal fits all GRABO models except the GRABO H.



SLENDER SEAL

The Slender Seal was engineered from user feedback to grip slim or “slender” materials. It swaps easily—remove the old, press the new. Its slim 4-inch design is perfect for narrow materials like tile, cylindrical materials and planks.



BRACE SEAL

The Brace Seal was created for thin, flexible materials, preventing bending or breakage with a filled in silicone footprint to “brace” up against the material. Ideal for glass under 6 mm.



GRABO 14.8V BATTERY

Need extra power? This 14.8V li-ion powerhouse delivers up to 900 cycles or 2 hours of constant use and fits both the Nemo GRABO and GRABO Pro-Lifter 20 seamlessly.




OTTOVAC BATTERY

Does your OTTOVAC need extra power? The OTTOVAC Li-Ion cartridge is USB-C rechargeable and up to 900 cycles or 2 hours of use. Charging cable is not included.



GRABO CHARGER

Lost or damaged cable? No problem! GRABO chargers are readily available to keep you powered. Compatible with 100–240V and global sockets (A, C, I).





GRABO FILTERS

Keep your NEMO GRABO and GRABO PRO tool in top condition with a quick filter replacement. GRABO Filters are essential replacements for when dust, mud, and debris clog your existing filter on the job site. Designed for durability and easy installation, these filters help maintain optimal suction performance and extend the life of your GRABO tool. Keep a few on hand to ensure your GRABO is always ready for the toughest jobs.



GRABO HIGH FLOW FILTERS

Replacement filter designed for your GRABO HIGH FLOW tool. Easily swap out dusty, dirty, or clogged filters to maintain optimal suction performance and ensure maximum tool efficiency on any hardscape or landscape job site.



GRABO PRO BRUSHLESS FILTERS

Keep your GRABO PRO BRUSHLESS tool operating at peak performance with this essential replacement filter. This high-quality filter ensures consistent suction power for demanding hardscape and landscape applications.





**THE ULTIMATE PANEL
HANDLING SOLUTION**





GRABO PANEL PRO

The GRABO PANEL PRO is a modular large rail transport system designed to be the essential solution for teams needing to handle and transport large panels on-site. Utilizing the incredible holding power of two GRABO tools, it attaches to the head control plate, pulling air through polyurethane air hoses to up to six suction cups along the rail. This powerful and efficient setup allows users to grip and move heavy panels weighing up to 441 lbs (200 kg) with ease using any of the four handle grips, either rolling the material on its four wheels or standing it vertically on the rubber handle to apply thin set to the back. (GRABO tools are not included in this set)



GRABO ATTACHMENT PLATE


The GRABO ATTACHMENT PLATE is the ultimate accessory that locks onto your GRABO tool with four quick lock pins via the four metal anchor points and a plate that offers a variety of threaded ports for users to attach essentially anything to your GRABO tool. This extremely versatile plate has a maximum hold rating of 220 lbs (100 kg) and has 11 threaded holes for maximum usability. Turn your GRABO into a second set of hands to hold a light, camera, cell phone, laser level, microphone, or create a makeshift shelf, temporary table, hook to hang a bag or purse, or anything else you can think of. Mount the GRABO to the floor, the ceiling, the side of your vehicle or a wall while you can get to work. (GRABO tools are not included in this set)






GRABO TILE VIBRATION

Achieve perfectly settled mortar and thinset with the new GRABO Tile Vibration attachment. This innovative tool eliminates the need for a second device, securely attaching to your GRABO's anchor points. Tile installers can now ensure even and settled mortar or thinset under tiles, thanks to the robust motor with two power settings. (GRABO tools are not included in this set)



GRABO LADDER ANCHOR STRAPS

Never worry about a ladder falling again. The GRABO Ladder Anchor are two straps that will lock onto the GRABO via the anchor points, then be looped around a step or a rail on users ladders. When the GRABO is gripped onto a wall where a user needs to climb, the suction strength on the GRABO will not allow the ladder to slide, slip, or fall. Don't have a second hand to hold the base sturdy? Let the GRABO Ladder Anchor lock you in when you're high off the ground. (GRABO tools are not included in this set)



GRABO ROLLER



The innovative GRABO Roller is designed to remove the burden of manually lifting heavy materials. The GRABO Roller securely attaches onto your GRABO tool with three quick-lock pins onto the anchor points. On the opposite end, two large, rugged rubberized wheels allow you to effortlessly roll bulky materials such as stone slabs, glass panels, countertops, and oversized tiles from location to location. Increase productivity, reduce physical strain, and enhance workplace safety, transporting large materials has never been easier. With the GRABO Roller, stop lifting and start rolling. (GRABO tools are not included in this set)



GRABO IMPACT PLATE

The GRABO IMPACT PLATE is a tough, no-nonsense accessory made for the hardest jobs. It's a heavy-duty metal bracket that attaches to the GRABO tool using the four anchor points. Built with a thick, impact-resistant shield, it's designed to take direct hammer hits—letting you hit or adjust heavy, stuck materials like tile, stone, or pavers without damaging the tool. Perfect for situations with thinset, glue, or cement underneath where a little extra force is needed to get materials moving. (GRABO tools are not included in this set)





ERGUE S1

The Erguo S1 extension arm removes the need to bend over. Attach to the four anchor points and experience the ease of handling heavy items while reducing the strain on your back and shoulders. (GRABO tools are not included in this set)



ERGUE S2

The ERGUO S2 is the next generation extension arm handle that combines the versatile attachment plate with the extension arm to offer a wide range of applications. Remove bending over to lift and move materials on the ground. (GRABO tools are not included in this set)



ERGUE-T

The ERGUO-T is suitable for one user, or when you can share the load with a team member, simply remove locking pins and add the extension arms to turn the ERGUO-T into a two-man lifter system. (GRABO tools are not included in this set)



ONE OR TWO
ITS UP TO YOU



STANDARD SEAM SETTER V2

The GRABO Seam Setter V2 is an improved alignment and leveling accessory designed to help installers create tight, flush seams between stone, countertops, tile, windows, and other surfaces. Featuring spring-loaded quick-lock pins that attach directly to GRABO anchor points, a precise four-point leveling system, and a center wheel for controlled push and pull adjustments. (GRABO tools are not included in this set)



90 DEGREE SEAM SETTER V2

The GRABO 90° Seam Setter V2 is designed to precisely align and secure materials at a perfect right angle. Featuring spring-loaded quick-lock pins that attach directly to GRABO anchor points, a four-point leveling system, and a center push-pull adjustment wheel, it makes installing corners, waterfall edges, and vertical seams faster and more accurate. (GRABO tools are not included in this set)



GRABO VERSAMOUNT

Introducing the GRABO VersaMount, an innovative attachment designed to expand the mounting capabilities of your GRABO tool. With the tool's grip, VersaMount securely attaches to the GRABO, and the GRABO attaches virtually to any wall or vertical surface, providing a versatile mounting solution. Its sturdy, adjustable platform allows users to rest shelves, cabinets, picture frames, drywall, and a wide range of materials with unmatched ease and accuracy. Users can fine-tune the height and ensure precise leveling without the need for any additional tools. Whether you're a professional installer or DIY enthusiast, the GRABO VersaMount simplifies and speeds up installations, eliminating the frustration of uneven mounting surfaces and tedious adjustments. (GRABO tools are not included in this set)



VIKING ARM® GRABO® GLAZING SET

Combining the best of two worlds - the VIKING ARM and the GRABO OTTOVAC vacuum cup, gives you unmatched advantages in installation and construction.

The Viking Arm and OTTOVAC, both lift/hold impressing 150kg/330lb. Use the Grabo to transport heavy glass, stone, tiles, and wood plates to the area for installation. Place the cradle on the Viking Arm and then under the Grabo's handle. Now, you can jack and lower up to 150 kg (330 lb) with millimeter precision and even have one hand free. (GRABO tools are not included in this set)



**SAVE TIME,
MANPOWER,
AND YOUR
BACK!**

U-HOIST



The GRABO U-Hoist is a strong and rigid metal bar that users can attach up to four GRABO tools for ultimate heavy lifting! When one GRABO simply isn't enough, this bar will maintain the structure of your heavy material with its evenly distributed hooks for up to four GRABO tools. This will keep your large and heavy slabs or materials flat with up to four GRABO tools evenly placed throughout the material so your material will never warp, crack, or bend when you lift the heavy materials with a crane or forklift. (GRABO tools are not included in this set)

**ADD A HANDLE TO
LARGE APPLIANCES.**



**THE GRABO
HIGH FLOW
GRIPS
POROUS
PAVERS.**

CABINET PLATES BY IZZY SWAN

The GRABO Cabinet Installation Plates by Izzy Swan are here to offer you a safe and easy solution to hang and install cabinets all by yourself! The Cabinet Plates attach to any GRABO tool using the metal anchor points on the base plate of the GRABO tool. The plates are screwed in with the two bolts that are included with the plates.

These plates give you the ability to utilize a flat, stable, and level surface for you to set heavy object on top of. This frees up the task of holding your cabinet or shelf up while you level, and drill your screws into the wall. Stop the struggle and hang cabinets the easy way all by yourself! This set includes two (2) plates.


(GRABO tools are not included in this set)





VAC-PLATE BY SWAN TOOL GROUP

The Vac-Plate by Swan Tool Group connects and converts all versions of the GRABO lifting tool for next-level performance and functionality. The Vac-Plate features a quick-lock latch system to ensure secure connection, non-slip and non-marring rubber surface to easily dock and protect your GRABO, and an expandable platform with mounting threads for Swan Tool accessories. (GRABO tools are not included in this set)



VAC-PUCS BY SWAN TOOL GROUP

Designed to securely hold a variety of materials, the Vac-Pucs by Swan Tool Group make woodworking operations faster, safer, and completely free from obstructions.

The Vac-Puc features a quick-attach handle that snaps into place, instantly transforming it into a convenient push shoe or an easy-to-hold router template.

The non-slip, non-marring rubber surfaces provide a strong and reliable grip on your workpiece while protecting it from unwanted damage. For flexible setup, the benchtop mounting system is compatible with T-tracks, multifunction tables, and standard workbench dog holes, allowing you to mount your Pucs effortlessly using the included STG easy-grip knobs. (GRABO tools are not included in this set)



GRABO
GRABO
GRABO

www.schluter.com
Made in Canada

ESR-2467

ICC-ES PMQ@

c UPC@ ANSI A118.10

Schluter
www.schluter.com
Made in Canada

SET
STONE
TILE & MARBLE

c UPC@ ANSI A118.10

Schluter®-KERDI

www.schluter.com
Made in Canada



PANEL HANDLER BY FILLACHIP™

The Panel handler is the only system which presses the frame itself against the flat surface. The Aluminum rail is pressed against a surface such as a porcelain tile, granite, quartz countertops, thus creating a very rigid solid unit removing the possibility for the material to bend or break.

All other systems in the market currently connect to the slab via the suction cup material (rubber or foam of various types) while the aluminum frame does not touch the surface. These other systems allow the slabs to flex, bend and break.

The panel handler rail system, however, uses several GRABO tools to adhere the aluminum frame directly against the large surface with direct contact between the metal and the surface. The handler makes it possible for 2 people to move large slabs safely and effectively while reducing the chance of breakage.

The Panel Handler material handling system can only be used with GRABOs from Nemo Power Tools. (GRABO tools are not included in this set)

- Partial slabs can be moved using the Panel Handler with 4 GRABOs
- Full slabs can be moved using the Panel Handler with 6 GRABOs



PROBST SOLO



The GRABO PROBST SOLO attachment handle is ideal for moving and laying tiles and pavers. It is an all stainless-steel attachment designed to securely connect with the GRABO via the 4 standard metal anchoring points. With the SOLO carrying handle, the user can pick up and place pavers without bending over, thus protecting his back from injuries and improving the quality and efficiency of his work. (GRABO tools are not included in this set)



PROBST DUO



The Probst DUO attachment handle is a metal attachment which easily and securely connects to the GRABO's 4 metal anchoring points. The attachment is ideal for laying tiles and flooring panels with precision. The DUO carrying handles makes it easier for two workers to work together in an upright position for large and heavy materials. (GRABO tools are not included in this set)



LIFTING EYE V-120 BY TOPSPIN

The Lifting Eye V-120 is suitable for the NEMO GRABO and GRABO PRO. The Lifting Eye V-120 makes it easy to lift materials with your GRABO using an excavator or forklift. Thanks to the 4 attached spring bolts, assembly, without any required tools, is quick and easy. The thoughtful design allows you to lift horizontally as well as vertically. In addition, the battery of your GRABO can be replaced at any time. Of course, using the lifting eye is also possible with our Rock Seal, Slender Seal and the Brace Seal. (GRABO tools are not included in this set)

!!Persons should never stand under the load !!



T-LIFT 120 BY TOPSPIN

Using the T-Lift 120 handle, you can move heavy objects with ease with 1 or 2 people. The great advantage of this tile lifter is that you can lay tiles very precisely from a standing position. Releasing the material from the GRABO can be done with the foot, so you can work quickly. This tile lifter can be used with 2 people, but can also be converted to a 1-person model. (GRABO tools are not included in this set)

- Work quickly, efficiently and safely with the T-lift 120
- Suitable for the NEMO GRABO and GRABO PRO
- Maximum lifting capacity 265 lbs / 120kg
- Height adjustable from 28 to 35 in / 70 to 90 cm
- Width adjustable from 35 to 47 in / 90 to 120 cm



ABOUT GRABO

Did you know that a rock-climbing trip inspired the GRABO? The inventor of GRABO was looking for a better way to scale the rock surface and was inspired to create a powered vacuum tool that could 'Grab' onto uneven, slightly porous surfaces. Ultimately, the GRABO was not developed for rock climbing but found a different purpose in allowing users to safely lift slabs, concrete, wood, drywall, porcelain, glass, furniture and more. The GRABO has become an indispensable tool for thousands of tradespeople worldwide who want to get the job done quicker and safer.



WARRANTY

At GRABO we take great pride in the build, quality, and attention to detail that goes into all our products, but for complete peace of mind, we offer a full 12-month manufacturer's warranty from the date of purchase on all GRABO products.



EXTENDED WARRANTY

Want to GRAB an additional six months warranty? Simply register your new GRABO online and sign up for our newsletter. You'll be first to hear about exciting new products and offers from GRABO — no spam, just the good stuff!

SCAN
HERE



SHOW US YOUR GRABO!

We love to see pictures and videos of the GRABO in action! Use @grabo.tools and get featured on our pages and inspire others.

@grabo.tools



GRABO HEADQUARTERS

6000 S Eastern Ave
Unit 9E
Las Vegas, Nevada 89119

+1 (844) 430-0510

info@GRABO.com

GRABO.com

